National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in National Register Bulletin, *How to Complete the National Register of Historic Places Registration Form.* If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. **Place additional certification comments, entries, and narrative items on continuation sheets if needed (NPS Form 10-900a).**

1. Name of Pr operty
historic name Witwer House
other names/site number N/A
Name of Multiple Property Listing N/A
(Enter "N/A" if property is not part of a multiple property listing)
2. Location
street & number 504 North First St. not for publication
city or town Rockford vicinity
state <u>Illinois</u> county <u>Winnebago</u> zip code <u>61107</u>
3. State/Federal Agency Certification
As the designated authority under the National Historic Preservation Act, as amended,
I hereby certify that this nomination request for determination of eligibility meets the documentation standards for
registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60.
In my opinion, the property meets does not meet the National Register Criteria. I recommend that this property
be considered significant at the following level(s) of significance: national statewide local Applicable National Register Criterio: A R C D
Applicable National Register Criteria: A B C D
Signature of certifying official/Title: Deputy State Historic Preservation Officer Date Date
Illinois Department of Natural Resources - SHPO State or Federal agency/bureau or Tribal Government
In my opinion, the property meetsdoes not meet the National Register criteria.
Signature of commenting official Date
Title State or Federal agency/bureau or Tribal Government
4. National Park Service Certification
I hereby certify that this property is:
entered in the National Registerdetermined eligible for the National Register
determined not eligible for the National Registerremoved from the National Register
other (explain:)
Signature of the Keeper Date of Action

OMB No. 1024-0018

Witwer House Name of Property				Winnebago, County and State	Illinois	
5. Class	sification					
Ownership of Property (Check as many boxes as apply.) Category of Property (Check only one box.)		Number of Resources within Property (Do not include previously listed resources in the count.)				
				Contributir	ng Noncontributing	
>	C private	X	building(s)	1	0	buildings
	public - Local		district	0	0	site
	public - State		site	0	0	structure
	public - Federal		structure	0	0	_ object
			object	1	0	Total
	of contributing reso the National Regist		riously			
	N/A					
6. Funct	ion or Use					
Historic	Functions egories from instructions.)			Current Fur (Enter categorie	actions es from instructions.)	
<u>Domest</u>	ic/Single Dwelling H	louse		Domestic/S	single Dwelling House	
7. Desci	ription					
Archited	ctural Classification egories from instructions.)			Materials (Enter categorie	es from instructions.)	
Italianate/Gothic Revival Influence			foundation:	Limestone		
			_ 	walls:	Brick	
				roof:	Asphalt	
				other:	Porches: Wood	

OMB No. 1024-0018

Winnebago, Illinois

Name of Property County and State

Narrative Description

Witwer House

(Describe the historic and current physical appearance and condition of the property. Describe contributing and noncontributing resources if applicable. Begin with a **summary paragraph** that briefly describes the general characteristics of the property, such as its location, type, style, method of construction, setting, size, and significant features. Indicate whether the property has historic integrity).

Summary Paragraph

The Witwer House is an asymmetrical, cross-gabled home constructed in 1876 in the Italianate architectural style with minor Gothic Revival influences. The house is a single-family home consisting of two stories and ten rooms. It is of balloon frame construction with a veneer of Milwaukee brick and a limestone foundation. It is in downtown Rockford, Illinois on the corner of North First Street and Prairie Street, one block east of the Rock River. Both the exterior and interior of the house have been extensively restored after careful research of the physical structure and the history of the property.

Narrative Description

Setting:

The Witwer House is located at 504 North First Street in downtown Rockford, Illinois. The lot sits at the corner of North First Street and Prairie Street in a residential neighborhood. The property is five blocks north of East State Street, the main business district, and sits across the street from St. James Church (1853), the first Catholic Church in the city. The property lot slopes down Prairie Street towards the Rock River and one block west sits Rockford Brewing Company (1902). The site consists of the main residence, with main entrance facing First Street, and a carriage house at the southwest corner of the lot on Prairie Street.

General Building Description, Witwer House:

The Witwer House occupies less than one acre of land and can be accessed by paved entries on the east, south, and west elevations of the house. The home's exterior has been minimally altered since its construction and has undergone intermittent restorations as early as the 1970s. An asymmetrical roof line allows for three prominent gables featured on the east, south, and west elevations and a small gabled dormer on the north elevation. All the windows and doors on the exterior are in a round arch or flattened arch design, including a three-sided, semi-hexagonal bay on the east elevation and a box bay on the south elevation. The house is built with Milwaukee brick, creamy yellow in color, that is contrasted with the Rookwood Green trim, dark green sash, and deep burgundy shutters. Unless otherwise stated, all first story windows of the house have decorative millwork crowns with operable shutters.

Witwer House Winnebago, Illinois

OMB No. 1024-0018

County and State

The exterior restoration began in 1975 and included cleaning masonry and tuck pointing (*Fig. 1 and 2*). Original millwork and wood shutters were repaired and restored. All arch windows are original and have been repaired with matching wood storm windows installed. The limestone front porches, which were originally added in 1897, were tuck pointed, wood decking and bead board ceiling were replaced. On the main front porch, non-original columns were removed, and Doric columns installed, matching the one original column that remained. The house had a two-story fire escape type porch added in the 1930s to create a rear exit (*Fig. 2*). The porch was removed, and a new screen porch was constructed with Victorian style chamfered columns, fir bead board ceiling, and arch top screens to match the house sash.

East Elevation

Name of Property

The east (front) elevation of the Witwer House faces North First Street. The southern section of this elevation has a set back of about 15 feet from the center section of this elevation- keeping with the design of an asymmetrical floor plan. It also features an uncovered limestone porch with a single-entry, flattened arch door (which leads to the sitting room) covered by an original canopy and a second story, rounded arch window directly above the entrance.

The center of this elevation has a prominent, steeply pitched cross-gabled roof with decorative gable millwork and a setback of about 30 feet from North First Street. This section of the elevation contains a three-sided, semi-hexagonal bay, made up of flattened arch windows. Directly below the gable is a second story rounded arch window.

The northern section of this elevation has a set back of about 5 feet from the center section of this elevation and features a covered limestone porch. The main entrance door is located in this section of the elevation which is a rounded arch, walnut and burl grained wooded door, with an original bronze doorbell and knob set (*Fig. 4-5*). A second story rounded arch window is located directly above the covered porch.

South Elevation

The south elevation faces Prairie Street. The western section of this elevation has a set back of about 5 feet from the center section of this elevation. This section contains two, two-over-two, flattened arch basement windows. Above the basement windows are two flattened arch, first story windows. This section also features a staircase and flattened arch entry door (leading to the dining room). Above the first story windows and directly below the roofline are two, second story sash windows.

¹ Rockford Daily Register, May 10, 1879.

Witwer House

Name of Property

County and State

OMB No. 1024-0018

The center section of this elevation features another prominent, steeply pitched gabled roof with decorative millwork at the peak and lower eave and has a set back of about 38 feet from Prairie Street. This section of the south elevation contains two flattened arch basement windows. Above the basement windows is a first story, box bay window made up of flattened arch windows. Directly above the box bay and below the gable is a rounded arch second story window. Also visible from this section of the elevation is a chimney stack, constructed in the same materials as the rest of the home, featuring two chimney pots.

The eastern section of this elevation also has a setback of about 5 feet from the center section and offers another view of the uncovered porch, visible from the north elevation. This section contains a first story, flattened arch window, and a second story, rounded arch window directly above.

West Elevation

The west (rear) elevation features a steeply pitched gabled roof with decorative millwork. A paved walkway, allows access to a stairway, which leads to an entry of the first story, screened-in, wooden porch overlooking the lower garden (converted from the two-story fire escape which was added in the 1930s.) Below the porch is a ground-floor entrance to the basement, and two, two-over-two basement windows on both sides of the elevation. A flattened arch window is present on the first story, on the south end of this elevation. Above the porch are three, rounded arch second story windows. Directly below the gable, and unique to this elevation is a round gable window, which faces toward the Rock River (*Fig.3*).

North Elevation

The north elevation of the Witwer House runs parallel to the south elevation of the neighboring home about 10 feet away and has a half-hipped roof. The east section of this elevation features a flattened arch, basement window that has been covered for ventilation purposes and a contemporary air conditioning unit is also visible. A flattened arch first story window is present above the basement window and directly above the first story window is a rounded arch second story window. The house's only gabled dormer is located on this section of this elevation and is used for ventilation and air flow to the attic.

The west section of this elevation sets back from the east section by about 3 feet and has a gabled roof. This section of the elevation contains two, flattened arch, basement windows. Above the basement windows are two, rounded arch, first story windows. Directly above the first story windows are two, flattened arch, sash windows, just below the roofline.

Witwer House	Winnebago, Illinois

OMB No. 1024-0018

County and State

Witwer House. Interior:

Name of Property

The interior of the Witwer House has also been minimally altered since its construction, as well as undergone intermittent restorations and includes an entry hall, parlor, sitting room, dinning room, kitchen, powder room, and library on the first story, with a hall landing, two bedrooms, master bedroom, office, studio, and bathroom on the second story. Notable interior features of the Witwer House include a freestanding curved staircase with walnut balustrade (*Fig. 14*) and 10-foot ceilings throughout the first floor. Repeated arch forms are seen in the walnut and burl grained pocket doors, window sash, and bay window plasterwork. Exceptional details include reproduced original stencils in the entry hall and master bedroom, grained arch top dining room doors, and marble fireplaces in the sitting room and master bedroom (*Fig. 10, 11, 12, 13*).

The interior restoration of the Witwer House began in 1976. The decorating of the home incorporates historically appropriate colors and wallpapers. Original wall stencils in the entry hall and master bedroom were uncovered in restoration and were reproduced (*Fig. 10 and 11*). The curved front staircase was restored including refinishing the walnut balustrade (*Fig. 14*). Period light fixtures were collected and then installed throughout the house (*Fig. 15, 16, 17, 18*). In addition to painting and graining in the sitting room, dining room, and front parlor, the white marble fireplace was restored, Bradbury wallpaper hung, and wood floors refinished. The kitchen was done in a style sympathetic to the period with custom pine cabinets, beaded ceiling, reclaimed marble counters, and integrated refrigerator and dishwasher faced with bead board. Lighting and hardware are antiques from the period. The first-floor powder room (formerly a pantry) was redone with salvaged fir bead board wainscot and ceiling, Bradbury wallpaper, period lighting, and an antique marble sink with cast iron base. The second-floor bath has original painted wainscot, an antique claw foot cast iron tub, marble sink top vanity and integrated wainscot shower enclosure.

Entry Hall

The entry hall features double arch top walnut grained front doors, freestanding curved staircase with walnut balustrade, reproduced original wall stencil, and walnut grained doors to the library and front parlor (*Fig. 10 and 14*).

Front Parlor

The front parlor consists of a three-sash angled bay window with a plaster arch, arch top double hung window overlooking the side porch, walnut grained arch top pocket doors, period wall stencil, and oak flooring.

Witwer House	Winnebago, Illinois
Name of Property	County and State

OMB No. 1024-0018

Sitting Room

Adjoining the front parlor is the sitting room. The sitting room contains a white marble fireplace, a four-sash bay window with plaster arch, an arch top double hung window (facing south), two sets of arch top grained doors, crown molding, period wall stencil, and plaster ceiling medallion with period chandelier (*Fig. 12 and 16*).

Dining Room

Through the double doors, the adjoining dining room has maple floors, grained wainscot, entrance door to side staircase and garden, and period chandelier (*Fig. 17*).

Master Bedroom

On the second floor, off the hall landing, is the master bedroom. The master bedroom features a grey marble fireplace with carved details, three round top windows looking south, east, and west, and a large reproduced original wall stencil (*Fig. 11*).

General Building Description, Carriage House (Contributing):

A two-story brick carriage house matching the style of the house was built in 1879 (*Fig. 2*). It is situated on the southwest corner of the lot at the lower garden level. It housed a horse, carriage, and a loft for hay. A prominent feature of the carriage house is a large louvered, cross-gabled cupola on the roof ridge. Restoration work included masonry cleaning, tuck pointing, roofing, cupola repair, original shutters restored and custom-made carriage doors.

South Elevation

The south (front) elevation of the Witwer Carriage House features a prominent, steeply pitched, gabled roof and has a setback of about 20 feet from Prairie Street. This elevation features two, flatten arched carriage doors on the first story, and a second story, rounded arch, hay loft door directly below the gable.

West Elevation

The west elevation is parallel to an alley way that runs north to south along the western property boundary. This elevation features a steeply pitched gable. The elevation also has three symmetrically placed, flattened arch, vented openings on the first story. The second story contains a rounded arch hay loft door, and a small, rounded arch window is present directly below the gable.

Witwer House	Winnebago, Illinois	
Name of Property	County and State	

OMB No. 1024-0018

North Elevation

The north elevation contains no windows. This elevation faces the garden area of the Witwer home. It features two, flattened arch doorway, with two wooden doors.

East Elevation

The east elevation, which faces the west elevation of the Witwer House, also features a steeply pitched gable. This elevation contains a first story flattened arch window, and a rounded arch window directly below the gable.

Carriage House. Interior:

The interior of the Carriage House at the Witwer property has been maintained and also undergone intermittent restoration such as the main house. The floors are constructed from concrete and the walls remain uncovered, showing the brick veneer on the interior, just as can be seen on the exterior. The interior of the carriage house is now used for various storage necessities on the property.

Landscaping:

The property was landscaped in 1989 preserving the limestone wall along Prairie Street. A staircase to the lower garden was added along with limestone retaining walls (*Fig. 3*). The lower garden fence was modeled after a picket found in the carriage house (*Fig. 6 and 7*). Victorian cast iron urns are placed throughout the yard in addition to the original cement planters (*Fig. 8 and 9*). The plantings were chosen to be appropriate to the Victorian era.

Witwer House	Winnebago, Illinois
Name of Property	County and State

OMB No. 1024-0018

Integrity Statement:

The Witwer House at 504 North First Street in Rockford, Illinois, has sufficient integrity for listing in the National Register of Historic Places. Minimal alterations have been made to the house and contributing carriage house since their completions in 1876 and 1879 respectfully. The minor alterations, modifications, and restorations that have been made, since the house's construction, have had almost no impact on the integrity of the structures. A few exterior storm windows have been added to the house for means of preservation and projection, additionally, the house and carriage house have undergone tuck pointing treatments for means of cleaning and restoration. Intermittent restorations have been conducted with sensitivity to the original structures with much success. While some interior features are not original to the house, they have been curated as to resemble features from the time period in which the house would have been initially furnished. The Witwer House and contributing carriage house resemble a unique local example of a merging of both Italianate and minor Gothic Revival influences and has been deemed as a candidate for listing on the National Register of Historic Places.

OMB No. 1024-0018

Witwer House		Winnebago, Illinois		
Name	of Property	County and State		
8. Sta	ntement of Significance			
(Mark	icable National Register Criteria "x" in one or more boxes for the criteria qualifying the property tional Register listing.)	Areas of Significance (Enter categories from instructions.)		
A	Property is associated with events that have made a significant contribution to the broad patterns of our history.	Architecture		
В	Property is associated with the lives of persons significant in our past.			
X	of a type, period, or method of construction or			
	represents the work of a master, or possesses high artistic values, or represents a significant	Period of Significance		
	and distinguishable entity whose components lack individual distinction.	1876-1897		
	Property has yielded, or is likely to yield, information important in prehistory or history.	Significant Dates		
		N/A		
	ria Considerations "x" in all the boxes that apply.)	Significant Person		
Prope	erty is:	(Complete only if Criterion B is marked above.)		
	Owned by a religious institution or used for religious purposes.			
E	removed from its original location.	Cultural Affiliation (if applicable)		
	a birthplace or grave.			
	o a cemetery.	Architect/Builder		
	a reconstructed building, object, or structure.	O.H. Wheat		
F	a commemorative property.			
	less than 50 years old or achieving significance within the past 50 years.			

Witwer House	Winnebago, Illinois
Name of Property	County and State

OMB No. 1024-0018

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance, applicable criteria, justification for the period of significance, and any applicable criteria considerations).

The Witwer House, built in 1876, is being nominated under National Register Criterion C in the area of Architecture. It is in exceptional condition with a high-level of original integrity. The house is locally important as an outstanding example of Italianate architecture with Gothic Revival influences that still survives within the downtown river district. The period of significance, 1876-1897, includes the matching brick carriage house, built in 1879, and the addition of the limestone front porches added in 1897. The brick carriage house is unique in Rockford for its style and masonry construction. The Witwer house, and the lot historically associated with it, sits in a prominent location in the heart of Rockford within a residential neighborhood. It is also just up the hill from the Rock River.

Narrative Statement of Significance (Provide at least one paragraph for each area of significance.)

History of Rockford:

Rockford Illinois is located in Winnebago County of Northern Illinois. The county derives its name from the few Winnebago Native American Tribes that claimed the area for portions of their reservation.² Following the Black Hawk war in 1832, the land that is now Rockford and Winnebago County gained popularity as a promising location for settlement, as the war would lead Native Tribes of the area to seek new lands in the neighboring state of Wisconsin.3

Traveling from his home state of Virginia, Germanicus Kent and his slave, Lewis Lemon, made the journey to Galena, Illinois, where Kent's brother, Rev. Aratus Kent was residing; Germanicus was hoping to find and maintain financial stability in Galena, just as his brother had. Doing some traveling of his own, Thatcher Blake, would also find himself in Galena, after hearing enticing descriptions of the area from soldiers in St. Louis who had taken part in the Black Hawk War. Together, Kent, Lemon, and Blake would begin exploring and surveying the Rock River valley as early as June of 1834.5

Germanicus Kent, Lewis Lemon, and Thatcher Blake came to "Rocky Ford" in 1834 – What is now Rockford, Illinois. At that time, Rockford was a part of Jo Daviess County; Winnebago County was officially established by the Illinois legislature in 1836.6 The shallow rocky bottom portion of the Rock River provided easy crossing. It was midway between Galena and the village of Chicago. He laid claim to the land and became the first

² Charles A. Church, Past and Present of the City of Rockford and Winnebago County, Illinois, (Chicago, IL: S.J. Clarke Publishing Co.,

³ "The Black Hawk War (1832)," March 15, 2017, http://www.iowapbs.org/iowapathways/mypath/black-hawk-war.

⁴ "Pioneer Blacks Exercised Financial Independence," Rockford Register Star, Feb. 3, 1985, 9A. https://history.rockfordpubliclibrary.org/localhistory/?tag=germanicus-kent.

⁵ Charles A. Church, History of Rockford and Winnebago County, Illinois: From the First Settlement in 1834 to the Civil War, (Rockford, IL: W. P. Lamb, Printer, 1900), 26.

⁶ Rockford Historical Society, "Rockford's Founding Fathers," accessed Jan. 14, 2021, https://www.rhsil.org/rockfords-settlers.html.

Winnebago, Illinois Name of Property County and State

European settler in the area. He was a land speculator and began with a sawmill to attract the settlers moving west from the eastern states. As the town grew, a waterpower district was created along the river and industry followed. By the 1870s the population had grown to 14,000 and Rockford was nicknamed Reaper City because of a high concentration of farm implement manufacturers. Knitting machines and furniture manufacturing followed.7

OMB No. 1024-0018

Maintaining the theme of industry and manufacturing, presently, Winnebago County, and Rockford, Illinois, continues to bring opportunities for economic and technological development. As of 2020, Rockford, Winnebago County, Illinois, is considered "the nation's sixth largest concentration of aerospace production workers; every contemporary airplane in the sky today has parts made in the Rockford region."8

Italianate Architecture Backround:

Witwer House

Between 1840 and 1870, the Italianate architectural styles became a prominent design for American, Midwestern homes. This style, including the Gothic Revival style- emerging at the same time- began in England during, what historians define, as the Picturesque movement; introduced in the United States as early as 1830. 9 As these two architectural styles gained popularity in congruence to one another, it was not uncommon for one style to have influential characteristics of the other- as seen, here, with the Witwer House. Rachel Carley, in The Visual Dictionary of Domestic Architecture, articulates that,

The early Victorian styles, including the Gothic Revival and Italianate, were a direct reflection of the Picturesque, an aesthetic point of view celebrating the variety, texture, and irregularity inherent in nature. This resulted in a new and very strong interest in how a building related to its natural setting. Loggias, verandas, towers, and sleeping porches proliferated to take advantage of uplifting views and healthful fresh air, while asymmetrical floor plans designed to complement the natural site yielded wonderfully odd-shaped rooms.¹⁰

According to the National Park Service, defining characteristics of the Italianate style architecture include a low, overhanging roof, decorative eaves and brackets, decorative detailing at the roof line, accentuated windows with ornamental hoods, and a projecting porch. 11 Likewise, keeping with ties to surrounding natural elements, Italianate style homes were often wood-framed structures- using wood and other materials from local sources.

⁷ John Lundin, *Rockford: An Illustrated History*, Windsor Publications, 1989.

⁸ Winnebago County Illinois, "About the County," accessed Jan. 14, 2021, https://wincoil.us/about-the-county/.

⁹ McAlester, Virginia, A. Lee McAlester, Lauren Jarrett, and Juan Rodriguez-Arnaiz. A Field Guide to American Houses. New York: Alfred A. Knopf, 2012, 200.

¹⁰ Rachel Carley, The Visual Dictionary of American Domestic Architecture (New York, NY: Holt Paperbacks, 1994), 134.

¹¹ "Italianate Style 1850s," National Parks Service (U.S. Department of the Interior), accessed January 5, 2021, https://www.nps.gov/articles/italianate-style-architecture.htm.

NAPA II	
Witwer House	Winnebago, Illinois
Name of Property	County and State

OMB No. 1024-0018

Defining characteristics of the Italianate style in the Witwer House include, accentuated windows with ornamental hoods, projecting porches on both the east (front) and west (rear) elevations, wide or overhanging eaves with decorative millwork, an asymmetrical, rectangular floor plan, and a wooden, Balloon-frame.

Balloon Frame Construction:

The Witwer House has a balloon frame, which was common for houses built between 1850 and 1890. Balloon-frame construction, first developed in Chicago in the 1830s, was a much cheaper and quicker method of construction. Balloon-frame construction is a method in which the 2x4 stringers run upward across the floors, rather than the second story being built atop the first. By framing a house this way, it becomes lighter and more flexible, as well as more durable and affordable. This method of construction was simple enough that an individual did not have to be an architect, or even a skilled carpenter to build a home.¹²

Gothic Revival Architecture:

Sir Horace Walpole, a wealthy Englishman, introduced Gothic Revival architecture when he remodeled his home in a Medieval style in 1749. While this became a popular style in England at this time, it did not reach the United States until it was introduced by Alexander Jackson Davis of Baltimore, Maryland, in 1832. Davis wrote several pattern books for architectural styles of which Gothic Revival was most prominent. In these books, Davis advised that the Gothic Revival style was a design choice for a rural property. Given the nature of the style such as wide gables and tall towers, this style was not suitable for urban conditions; a structure in this style was simply too large for the smaller designed parcels of urban communities. This style fell out of favor for residential architecture by the mid-1860s.

Defining features of the Gothic Revival style include, pointed arch windows and doors, decorative elements including porches and dormers, as well as steeply pitched roofs and front-facing gables with delicate wooden trim. Of these characteristics, only minor influences are found within the Witwer House.

The minor Gothic Revival influences present in the Witwer House include its front-facing gables, steeply pitched roof, and delicate millwork located on the corners and eaves of the roofline. While the Witwer House does have arched windows, they are not pointed-arched windows as would be seen in the Gothic Revival architectural style

¹² "Death of the Dream: The Balloon Frame." PBS Online.www.pbs.org/ktca/farmhouses/homes_balloon.html.

¹³ McAlester, A Field Guide, 200.

Witwer House	Winnebago, Illinois
Name of Property	County and State

OMB No. 1024-0018

Italianate Architecture in Rockford:

Analysis of existing legacy survey data held at the Illinois State Historic Preservation Office recognized twenty-seven other examples of Italianate architecture in the City of Rockford. Of these, seven were identified with a "P" rating indicating primary significance. The "P" rating is understood to be the highest rating from the Illinois Historic Structures Survey (IHSS) conducted between 1971-1975. It signifies that the surveyor considered a building potentially eligible for National Register consideration for architectural significance. The Witwer House is one of the seven houses that received the primary significance rating. A virtual inspection, using Google Earth street view, of these same Italianate properties was also conducted for this nomination. The virtual inspection was able to ascertain degraded exterior integrity on three of the Italianate comparable houses. This includes 826 N. Main Street which has since had its original porch completely enclosed, and 1127 S. Church Street has had its original porch removed and non-historic siding covering the original. Both houses were rated "P" in the IHSS. The Jacoby House, also given a "P" rating, is located 1.6 miles to the north of the Witwer House and is the only individually listed Italianate house in Rockford. It was designated in 1982 and is a towered sub-type of the Italianate style.

History of the Witwer House:

The Witwer House was built in 1876 by O.H. Wheat (builder) for Mr. and Mrs. Benjamin Witwer. Mr. Witwer owned a dry goods store (Hough & Witwer) on nearby East State Street and he later became an alderman for the City of Rockford. The carriage house was built in 1879 and is one of a few constructed of brick within the City limits. A May 10, 1879 article in the Daily Register stated, "Alderman Witwer is erecting a fine gothic barn, constructed of Milwaukee brick. It is an adequate compliment to his fine house on First Street and taken both together they make as handsome a piece of property as there is in the city, and very much improve the locality where they are situated."¹⁴

Another prominent owner (from 1903 to 1933) of the Witwer House was Myron Barnes. His occupation was listed in the City Directory as a tenor. He taught voice lessons in the front parlor, was professor of music at Rockford and Beloit Colleges, and conducted church choirs. His Weber Quartet gained fame in concerts in 29 states, touring some 20,000 miles by train and horse drawn vehicles. In 1889 the Quartet performed at the inaugural festivities for President Benjamin Harrison. A plaster bust of Myron Barnes and concert program remain with the house (*Figure 22 and 23*). The bust is by artist Mrs. Theo Hansen, who attended the Chicago Art Institute and was a student of Laredo Taft.

OMB No. 1024-0018

Conclusion:

The Witwer House remains in remarkably original condition and has been thoughtfully restored. The restoration exhibits great attention to detail from the exterior millwork and original shutters to the interior with its meticulously grained walnut and burl wood doors, original wall stencils, and period decorating. The property is further enhanced by the surviving masonry carriage house, also constructed in the Italianate style. The house is locally significant because of its exemplary architectural style. It is one of a few examples in Rockford of a restored Italianate home with Gothic Revival influences of the 1870s. In 2019, the Witwer House was awarded local landmark status by the Rockford Historic Preservation Commission.

¹⁴ Rockford Daily Register, May 10, 1879.

¹⁵ Rockford Daily Register, March 9, 1889.

¹⁶ Rockford Daily Register Gazette, July 16, 1897.

Witwer House	Winnebago, Illinois
Name of Property	County and State

OMB No. 1024-0018

9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.)

- Carley, Rachel. The Visual Dictionary of American Domestic Architecture. New York, NY: Holt Paperbacks, 1994.
- Church, Charles A. History of Rockford and Winnebago County, Illinois: From the First Settlement in 1834 to the Civil War. Rockford, IL: W. P. Lamb, Printer, 1900.
- Church, Charles A. Past and Present of the City of Rockford and Winnebago County, Illinois. Chicago, IL: S.J. Clarke Publishing Co., 1905.
- "Death of the Dream: The Balloon Frame." PBS
 Online.www.pbs.org/ktca/farmhouses/homes_balloon.html.
- "Italianate." Architectural Styles of America and Europe, November 21, 2011. https://architecturestyles.org/italianate/.
- "Italianate Style 1850s." National Parks Service. U.S. Department of the Interior. Accessed January 5, 2021. https://www.nps.gov/articles/italianate-style-architecture.htm.
- Lundin, John. 'Rockford: An Illustrated History', Windsor Publications, 1989.
- McAlester, Virginia, and Lee. A Field Guide to American Houses. New York, NY: Alfred A. Knopf, Inc., 1984.
- "PHMC Gothic Revival Style 1830 1860." PHMC > Pennsylvania Architectural Field Guide. Accessed January 5, 2021. http://www.phmc.state.pa.us/portal/communities/architecture/styles/gothic-revival.html.
- "Pioneer Blacks Exercised Financial Independence," Rockford Register Star, Feb. 3, 1985, 9A. https://history.rockfordpubliclibrary.org/localhistory/?tag=germanicus-kent.
- Rockford Daily Register Gazette, July 16, 1897.
- Rockford Morning Star, July 14, 1897.
- Rockford Daily Register, May 10, 1879.
- Rockford Daily Register, March 9, 1889.
- "The Black Hawk War (1832)," March 15, 2017. http://www.iowapbs.org/iowapathways/mypath/black-hawk-war.
- Winnebago County Illinois, "About the County," accessed Jan. 14, 2021, https://wincoil.us/about-the-county/.

OMB N	~ 100 <i>1</i>	0000

Witwer House	Winnebago, Illinois
Name of Property	County and State
Draviaus desumentation on file (NDC):	Drimon, location of additional deta-
Previous documentation on file (NPS):preliminary determination of individual listing (36 CFR 67 has been	Primary location of additional data:State Historic Preservation Office
requested)	Other State agency
previously listed in the National Register	Federal agency
previously determined eligible by the National Registerdesignated a National Historic Landmark	Local government University
recorded by Historic American Buildings Survey # recorded by Historic American Engineering Record #	Other Name of repository:
recorded by Historic American Engineering Record # recorded by Historic American Landscape Survey #	reamo or repository.

OMB No. 1024-0018

Witwer House			Winnebago, Illinois	
Name of Property			County and State	
10. Geographical Data	a			
Acreage of Property _	·	than one" if the acreage is .99 or less)		
(Bo not morado proviodory no	ted resource dereage, errier 2005	and the firm do do dage to .00 or 1000/		
Latitude/Longitude Co Datum if other than WG (enter coordinates to 6 decim	SS84:			
1 42.272151	-89.085479	3		
Latitude	Longitude	Latitude	Longitude	
2		4		
Latitude	Longitude	Latitude	Longitude	
Vorbal Boundary Doc	cription (Describe the boundarie	on of the property		
•	• `	,	Located at the corner of North F	iret
St. and Prairie St.	TWELLY (20) Last side of t	TIE NOCK NIVEL, NOCKIOIG, IL.	Located at the comer of North	1131
St. and Frame St.				
Boundary Justificatio	n (Explain why the boundaries we	re selected.)		
The Nomination inclu	ides the Witwer House, its	s carriage house, and the pro	operty historically associated with	ı it.
11. Form Pr€ ared By	1			
name/title Kurt Be	ll		date 8/3/20	
organization N/A		telephone	e <u>815-262-8707</u>	
street & number _504	N. First St.	email <u>B</u>	ells5085@icloud.com	
city or town Rockford	d	state <u>IL</u>	zip code <u>61107</u>	

Witwer House	Winnebago, Illinois
wilwer nouse	<u>vvinnebago, niinois</u>
Name of Property	County and State

OMB No. 1024-0018

Additional Documentation

Submit the following items with the completed form:

- GIS Location Map (Google Earth or BING)
- Local Location Map
- Site Plan
- Floor Plans (As Applicable)
- **Photo Location Map** (Include for historic districts and properties having large acreage or numerous resources. Key all photographs to this map and insert immediately after the photo log and before the list of figures).

United States Department of the Interior

National Park Service

National Register of Historic Places Continuation Sheet

Section number Additional Documentation Page 19


Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

GIS Location Map:

bing maps

504 N 1st St, Rockford, IL 61107 Location: 42.27215167, -89.08547917

Witwer House 504 N. First St. Rockford, IL 61107 Winnebago County



United States Department of the Interior

National Park Service


National Register of Historic Places Continuation Sheet

Section number <u>Additional Documentation</u>	Page _	20	
--	--------	----	--

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Local Location Map:

Map of local area circa 1880



United States Department of the Interior

National Park Service


National Register of Historic Places Continuation Sheet

21	
2	<u>21 </u>

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Local Location and Site Map

Sanborn Insurance Map from Rockford, Winnebago County, Illinois circa 1900.



United States Department of the Interior

National Park Service


National Register of Historic Places Continuation Sheet

Section number	Additional Documentation	Page	22	
----------------	--------------------------	------	----	--

	Witwer House
ı	Name of Property
ı	Winnebago, IL
ı	County and State
ı	N/A
ı	Name of multiple listing (if applicable)

Site Plan and First Floor Plan:

Numbers on plan below correspond to photos (photo location map)



United States Department of the Interior National Park Service

Ned and Broken of History Company


National Register of	Historic Places
Continuation Sheet	

Section number	Additional Documentation	Page	23
----------------	--------------------------	------	----

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Second Floor Plan:

Numbers on plan below correspond to photos (photo location map)



United States Department of the Interior

National Park Service

National Register of Historic Places Continuation Sheet

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Section number <u>Additional Documentation</u> Page <u>24</u>

List of Figures

(Resize, compact, and paste images of maps and historic documents in this section. Place captions, with figure numbers above each image. Orient maps so that north is at the top of the page, all document should be inserted with the top toward the top of the page.

Figure 1 of 23: The Witwer House, 1974

Figure 2 of 23: The Witwer House (Carriage House View), 1974

Figure 3 of 23: Staircase to Lower Garden

Figure 4 of 23: Original Doorknob Set

Figure 5 of 23: Original Doorbell Pull

Figure 6 of 23: Lower Garden Fence (detail)

Figure 7 of 23: Original Picket Found in Carriage House

Figure 8 of 23: Victorian Urn, Stairway to Lower Garden

Figure 9 of 23: Original Concrete Planters, Side Porch

Figure 10 of 23: Reproduced Original Entry Hall Stencil

Figure 11 of 23: Reproduced Original Master Bedroom Stencil

Figure 12 of 23: Reproduced Walnut/Burl Graining (Dining Room Doors)

Figure 13 of 23: Graining Detail

Figure 14 of 23: Newel Post (Entry Hall)

Figure 15 of 23: Entry Hall

Figure 16 of 23: Sitting Room

Figure 17 of 23: Dining Room

Figure 18 of 23: Kitchen

Figure 19 of 23: Lake-Peterson House, 1873 (Rockford, IL)

Figure 20 of 23: Lake-Peterson House, Carriage House

Figure 21 of 23: Daffodil Cottage, 1843 (Haight Village Historic District, Rockford, Illinois)

Figure 22 of 23: Myron Barnes Plaster Bust by Mrs. Theo Hansen

Figure 23 of 23: Myron Barnes Concert Program

United States Department of the Interior National Park Service

Section number	Additional Documentation	Page	25	

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 1: The Witwer House, 1974



Figure 2: The Witwer House (carriage house view), 1974



United States Department of the Interior National Park Service

Section number	Additional Documentation	Page	26	
----------------	--------------------------	------	----	--

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 3: Staircase to lower garden




Section number	Additional Documentation	Page	27	

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 4: Original doorknob set



Figure 5: Original doorbell pull



Section number <u>Additional Documentation</u>	Page	28
--	------	----

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 6: Lower garden fence (detail)



Figure 7: Original picket found in carriage house



National Register of Historic Places Continuation Sheet

Section number Additional Documentation Page 29

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 8: Victorian urn, stairway to lower garden




Figure 10: Reproduced original entry hall stencil



Figure 9: Original concrete planters, side porch



Figure 11: Reproduced original master bedroom Stencil



Section number	Additional Documentation	Page	30	

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 12: Reproduced walnut/burl graining (Dining Room Doors)



Figure 13: Graining detail




United States Department of the Interior National Park Service

Section number	Additional Documentation	Page	31	
----------------	--------------------------	------	----	--

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 14: Newel post (Entry Hall)



United States Department of the Interior

National Park Service

National Register of Historic Places Continuation Sheet

Section number Additional Documentation Page

Witwer House Name of Property Winnebago, IL County and State N/A Name of multiple listing (if applicable)

Figure 15: Entry hall



Figure 17: Dining Room




Figure 16: Sitting Room

32



Figure 18: Kitchen



United States Department of the Interior National Park Service

Section number <u>Additional Documentation</u> Page <u>33</u>	3
---	---

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 19: Lake-Peterson House, 1873 (Rockford, IL)



Figure 20: Lake-Peterson House, Carriage House



United States Department of the Interior National Park Service


National Dominton of Historia Diagon

National Register of	Historic	Places
Continuation Sheet		

Section number Additional Documentation Page 3	34_	
--	-----	--

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 21: Daffodil Cottage, 1843 (Haight Village Historic District, Rockford, Illinois)



Section number	Additional Documentation	Page	35	

Witwer House
Name of Property
Winnebago, IL
County and State
N/A
Name of multiple listing (if applicable)

Figure 22: Myron Barnes plaster bust by Mrs. Theo Hansen



Figure 23: Myron Barnes concert program



Photographs:

Submit clear and descriptive photographs. The size of each image must be 3000x2000 pixels, at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map. Each photograph must be numbered and that number must correspond to the photograph number on the photo log. For simplicity, the name of the photographer, photo date, etc. may be listed once on the photograph log and doesn't need to be labeled on every photograph.

Photo Log	-		
Name of Property:	Witwer House		
City or Vicinity:	Rockford		
County:	Winnebago	State:	Illinois
Photographer:	Katie Bell		
Date Photographed:	7/30/2020		

Description of Photograph(s) and number, include description of view indicating direction of camera:

Photo 1 of 20: 504 N. First St., Exterior Frontal View (Facing West)

Photo 2 of 20: Corner of N. First St. and Prairie St., Exterior Southeast Corner View (Facing Northwest)

Photo 3 of 20: Prairie St., Exterior Hillside View (Facing North)

Photo 4 of 20: Witwer House, North Elevation, View from North First Street, (Facing West).

Photo 5 of 20: Witwer House, North Elevation, View from Garden, (Facing East).

Photo 6 of 20: Prairie St., Exterior Carriage House View (Facing North)

Photo 7 of 20: Prairie St., Exterior Southwest Corner Carriage House View (Facing East)

Photo 8 of 20: Prairie St., Exterior West Elevation of Carriage House View (Facing East).

Photo 9 of 20: North Elevation of Carriage House, View from Garden, (Facing South).

Photo 10 of 20: Carriage House Interior View.

Photo 11 of 20: N. First St., Exterior Front Porch View (Facing West)

Photo 12 of 20: Interior Entry Hall (Facing West)

Photo 13 of 20: Interior Parlor (Facing South)

Photo 14 of 20: Interior Sitting Room (Facing South)

Photo 15 of 20: Interior Sitting Room (Facing East)

Photo 16 of 20: Interior Dining Room (Facing East)

Photo 17 of 20: Interior Powder Room (Facing North)

Photo 18 of 20: Interior Kitchen (Facing Northeast)

Photo 19 of 20: Screen Porch (Facing Northeast)

Photo 20 of 20: Interior Second Floor Master Bedroom (Facing North)

Photo 1 of 20: 504 N. First St., Exterior Frontal View (Facing West).



Photo 2 of 20: Corner of N. First St. and Prairie St., Exterior Southeast Corner View (Facing Northwest).




Photo 3 of 20: Prairie St., Exterior Hillside View (Facing North).



Photo 4 of 20: Witwer House, North Elevation, View from North First Street, (Facing West).




Photo 5 of 20: Witwer House, North Elevation, View from Garden, (Facing East).




Photo 6 of 20: Prairie St., Exterior Carriage House View (Facing North).



Photo 7 of 20: Prairie St., Exterior Southwest Corner Carriage House View (Facing East).



Photo 8 of 20: Prairie St., Exterior West Elevation of Carriage House View (Facing East).




Photo 9 of 20: North Elevation of Carriage House, View from Garden, (Facing South).



Photo 10 of 20: Carriage House Interior View.



Photo 11 of 20: N. First St., Exterior Front Porch View (Facing West).



Photo 12 of 20: Interior Entry Hall (Facing West).




Photo 13 of 20: Interior Parlor (Facing South).




Photo 14 of 20: Interior Sitting Room (Facing South).




Photo 15 of 20: Interior Sitting Room (Facing East).




Photo 16 of 20: Interior Dining Room (Facing East).



Photo 17 of 20: Interior Powder Room (Facing North).




Photo 18 of 20: Interior Kitchen (Facing Northeast).



Photo 19 of 20: Screen Porch (Facing Northeast).



Photo 20 of 20: Interior Second Floor Master Bedroom (Facing North).

